



PLAN SHOWING THE PROPOSED CONSTRUCTION OF DWELLING HOUSE AT SURVEY NO 260/A/PT PLOT NO 27 OF 98 PORUR VILLAGE SAIDAPET TALUK BY SRI N. VENUGOPAL

**SPECIFICATION**  
 FOUNDATION: 6" SAND FILLING 12" P.C.C. 1:5:10 MIX  
 SUPERSTRUCTURE: BRICK WORK IN CEMENT MORTAR 1:6 MIX AND WELL BURNT GROUND MOULD STANDARD SIZE BRICKS  
 LINTEL & ROOF SLAB: R.C.C. 1:2:4 MIX TO DESIGNED THK  
 W. COURSE: BRICK JELLY IN LIME MORTAR WITH PRESSED TILES ON THE TOP  
 JOINERY: BEST INDIAN TEAK WOOD

**SCHEDULE OF JOINERY DETAIL**

MD MAIN DOOR	4'-0" X 7'-0"	1219 X 2134
D TW DOOR	3'-0" X 7'-0"	914 X 2134
D IN DOOR	2'-6" X 7'-0"	762 X 2134
FD FRENCH DOOR	5'-0" X 7'-0"	1504 X 2134
W GLAZED WINDOW	6'-0" X 4'-6"	1829 X 1372
W GLAZED WINDOW	4'-0" X 4'-6"	1219 X 1372
V VENTILATOR	3'-0" X 2'-0"	914 X 610
V VENTILATOR	2'-0" X 2'-0"	610 X 610
KW ALU SANDY LOUVERS	6'-0" X 3'-0"	1829 X 914
KW ALU SANDY LOUVERS	4'-0" X 3'-0"	1219 X 914

**AREA STATEMENT**

PLOT AREA	2400 SFT 223.5 SQM
GROUND FLOOR AREA	804.5 SFT 74.4 MSQ
FIRST FLOOR AREA	804.5 SFT 74.4 MSQ

**COLOUR CODE REFERENCE**

PROPOSED SHOWN THUS	DATE: 25.7.89
ROAD SHOWN THUS	
SITE SHOWN THUS	

OWNER: N. Venugopal  
 V. SRINIVASALU, L.C.E.  
 Consulting Civil Engineer,  
 REGD. No. 270

CLASS I LICENSED SURVEYOR CORPORATION OF MADRAS  
 No. 60, Valluvar Road,  
 KUMBAKKAM, MADRAS-100

