

FRON ELEVATION



SECTION ON AA



Planning Clearance No. C/PC/44/88
APPROVED
Subject to the conditions in this office letter
No. C/20794/89 Dt. 22.2.90
FOR MEMBER SECRETARY 22.2.90
MADRAS METROPOLITAN DEVELOPMENT AUTHORITY
22/2/90.



PART PLAN OF EXG SUBCRDINATE REST HOUSE



GROUND FLOOR PLAN



FIRST FLOOR PLAN

FLOOR AREA	
GROUND FLOOR	= 49.975 SQ.M
FIRST FLOOR	= 37.66 "
TOTAL	87.63 "

PLINTH AREA	
GROUND FLOOR	60.43 SQ.M
FIRST FLOOR	60.43 "
TERRACE FLOOR	15.99 "

SCHEDULE OF JOINERY

REF	DESCRIPTION	SIZE (BREADTH)
D	FLUSH DOOR (SHUTTER)	100 x 210 cm
D	FLUSH DOOR (SHUTTER)	90 x 210 cm
D2	DOOR PANELLED	75 x 210 cm
W	ALU. GLAZED WINDOW SLIDING SHUTTERS	90 x 120 cm
W1	ALU. GLAZED WINDOW SLIDING SHUTTERS	60 x 120 cm
W2	" "	90 x 60 cm
V	ALU. GLAZED VENTILATOR	60 x 60 cm
V1	ALU GLAZED VENTILATOR (LOUVER TYPE)	90 x 60 cm

1. THE FIGURES INDICATED ARE PROPOSED
2. FOR FACILITIES SEE PROPOSED PLAN
3. PROPOSALS ARE SHOWN IN RED
4. MASONRY TO BE OF BEST WORKMANSHIP & BED OF ALL C.C. WITH 10% EXTRA CEMENT IN CM 1:6
5. THE WALLS AND CEILINGS OF ROOMS TO BE DISTEMPERED WITH APPROVED COLOUR
6. THE WALLS OF TOILET TO BE FINISHED WITH WHITE GLAZED TILES UPTO A HEIGHT OF 1.5m
7. ALL WOODWORKS ARE TO BE OF FIRST SEASONED TEAK WOOD
8. THE FOUNDATION PEDESTAL SUITABLE FOR G+2 FLOORS
9. ALL MEASUREMENTS ARE IN CENTIMETRES UNLESS OTHERWISE STATED

	NAME	MADRAS-EGMORE	SOUTHERN RAILWAY
DRN	V. SUREINDRAN	PROPOSED CAMP OFFICE AND CAMP REST ROOM FOR FIELD OFFICERS	OFFICE OF THE CHIEF ENGINEER (CONSTRUCTION) MADRAS-EGMORE
TRD			SEN/T ... 7.6.89
CHD	S.P. SARASWAM		FOR CE/CN ... 8/6/89
SCALE: 1:100			DRG NO. CN 127-89

C/PC/A/B/B/C

SOUTHERN RAILWAY
SITE PLAN FOR THE
PROPOSED CONSTRUCTION OF
CAMP OFFICE ON POONAMALLI
HIGH ROAD AT MADRAS EGMORE

SCALE 1"=40'

N

NOTE: PROPOSALS SHOWN IN RED

RAILWAY LAND.

EXG. RLY. QRS.

TO RLY STATION

EXG FENCING

RAILWAY QUARTERS (RLY PERMANENT LAND)

EXG REST HOUSE

PH

PROPOSED CAMP OFFICE

AUTOMATIC TELEPHONE EXCHANGE

EXG PUMP HOUSE

EXG WELL

TO RLY QRS

GATE

EXG COMPOUND WALL CUM RLY BOUNDARY

FOOT PATH

FROM PARRYS CORNER

TO POONAMALLE

FOOT PATH

EXG COMPOUND WALL

Y.W.C.A CAMPUS

FITHERDEN ROAD

XEN/CN/MAS/SK-65-90

EXG QRS

EXG C WALL

TYPE IV QRS

TYPE II QRS

20' ROAD

FUTURE ROAD LIMIT

20'-0"

5'0"

EXG C WALL

T.H NAIR RD

8.2.90

Planning Clearance No.....

APPROVED

Subject to the conditions in this office letter

No. C/20794/89 Dt. 24.3.90

FOR MEMBER SECRETARY
MADRAS METROPOLITAN
DEVELOPMENT AUTHORITY

22.2.90

(X) REF: MMDA APPROVAL NO:
MMDA/MADRAS/LR.C/13425/87 DT: 16-10-87.

PLANNING CLEARNCE NO:

27/2

2/2